

IPSO®

simply

IHC Series Washer-Extractor

On-Premises Laundry

On-premises laundries face enough daily challenges, wrestling with complicated, inefficient equipment shouldn't be one of them. IPSO's freestanding IHC model washer-extractors combine proven designs with user-friendly controls to streamline the laundry process. Our goal is building equipment that's simple to own and even more simple to operate.

Simplifying Ownership

VERSATILE. The PS40 microprocessor offers managers the highest level of control to set spin speeds and water levels, while a simple design ensures employees are quickly trained on its operation. It comes with 10 preprogrammed cycles and room to customize 40 additional cycles. Programming easily is accomplished by uploading from a PC through an infrared connection.

EFFICIENT. With a maximum extract of 363 G-Force, the IHC significantly reduces drying time — in some cases, by up to 80%. As a result, operations benefit from lower utility consumption.

RUGGED RELIABILITY. A heavy-duty steel frame, with a minimum of welds, provides one of the most stable bases in the market. That translates into years of worry-free operation. In addition, three layers of paint protect the frame from corrosion, while heavy-duty bearings and a rugged housing ensure longevity.

INSTALLATION EASE. The IHC is completely freestanding, eliminating the need for costly special footings or mounting hardware. This easy installation on most any floor type makes it the perfect replacement unit.

PEACE OF MIND. A 3-year parts warranty (5-years on major components) is standard.

WASHABILITY. While the IHC is designed to increase productivity and efficiency, managers don't have to sacrifice quality. IPSO washer-extractors deliver superior consistent finished results.

TIME SAVINGS. The IHC's automatic supply injection system — which supports up to 12 pumps — eliminates the need for staff to manually add chemicals. This saves time and allows them to concentrate on other laundry tasks.



THE BOTTOM LINE. We believe the efficiency in design and operation of our washer-extractors combined with the features of our intuitive controls will have the ultimate impact on your laundry's productivity and bottom line. Put simply, IPSO gets results.

IHC018 - 18 lb Washer-Extractor
IHC025 - 25 lb Washer-Extractor
IHC035 - 35 lb Washer-Extractor



IHC Series Washer-Extractor Specifications

| | IHC018 | | IHC025 | | IHC035 | |
|--------------------------------------------|------------------------------------------|----|------------------------------------------|----|------------------------------------------|----|
| Capacity - lb (kg) | 18 (8.2) | | 25 (11.3) | | 35 (15.9) | |
| Height - in (mm) | 39 13/16" (1011) | | 39 13/16" (1011) | | 46 1/4" (1175) | |
| Width - in (mm) | 26" (660) | | 26" (660) | | 30 11/16" (780) | |
| Depth - in (mm) | 31 5/16" (796) | | 35 1/4" (896) | | 39 1/4" (998) | |
| Door Opening - in (mm) | 11 13/16" (300) | | 11 13/16" (300) | | 11 13/16" (300) | |
| Net Weight - lb (kg) | 481 (218) | | 525 (238) | | 800 (363) | |
| Crated Weight - lb (kg) | 514 (233) | | 564 (256) | | 844 (383) | |
| Cylinder Dimensions | | | | | | |
| Diameter - in (mm) | 20 7/8" (530) | | 20 7/8" (530) | | 25 9/16" (650) | |
| Depth - in (mm) | 13" (330) | | 17 5/16" (440) | | 19 3/4" (500) | |
| Volume - cu.ft. (liters) | 2.68 (76) | | 3.35 (95) | | 5.83 (165) | |
| Cylinder Speed | | | | | | |
| Wash - RPM | 10-50 | | 10-50 | | 10-50 | |
| Extract - RPM | 500-1000 | | 500-1000 | | 250-1000 | |
| G-Force - RPM | 296 | | 296 | | 380 | |
| Drain Size - in (mm) | 2" (50) | | 2" (50) | | 2" (50) | |
| Water Inlet - in (#) | 3/4" (3) | | 3/4" (3) | | 3/4" (3) | |
| Inverter Drive | Yes | | Yes | | Yes | |
| Voltage/Hz/Phase Circuit Breaker - FLA (X) | 200-240/50-60/1-3 | 10 | 200-240/50-60/1-3 | 10 | 200-240/50-60/1-3 | 15 |
| Agency Approvals | CE, ETL _{US} , ETL _C | | CE, ETL _{US} , ETL _C | | CE, ETL _{US} , ETL _C | |

* Electric heat option only.

For the most accurate information, the installation guide should be used for all design and construction purposes. Due to continuous product improvements, design and specifications are subject to change without notice. The quality management system of Alliance Laundry Systems' Ripon facility has been registered to ISO 9001:2000.

©Copyright 2008 Alliance Laundry Systems LLC

Printed in the U.S.A.

Questions? Contact us at:
1 800 USA IPSO or www.ipso.com
1 800 (872-4776)

Control Options



PS40 Fully programmable Microprocessor

